

## order form - water analysis

Clients outside Germany: VAT number:

\* mandatory fields to fill out

Name\*:  
Farm/firm\*:  
Adress\*:  
Place\*.....State\*:  
sampling location\*:  
Time of collection\*:  
Sampling temperature\*:  
Animal\*:

Customer no: .....  
Telefon/Fax/Email:.....  
Sampling date\*:  
Sampler: .....  
to be completed by the laboratory:  
Date of receipt:.....  
Inlet temperature:.....  
Sodium thiosulfate: yes  no

**Please tick the examinations you require:**

*required amount of sample*

### Service and process water

**Drinking water for non-official purposes**

500 ml

- microbiological analysis (Colony count at 22°C and 36°C, coliform bacteria, E. coli, enterococci)  
 Legionella  
 chemical analysis (pH value, ammonium, nitrate, total hardness, Ca, Mg, K, SO<sub>4</sub>, Fe, Mn)

### Trough water

500 ml

- microbiological analysis (Colony count at 22°C and 36°C, coliform bacteria, E. coli, enterococci)  
 chemical analysis (pH value, ammonium, nitrate, total hardness, Ca, Mg, K, SO<sub>4</sub>, Fe, Mn)

### Irrigation water

1250 ml

- microbiological analysis (Fäkalstreptokokken, E. coli, Salmonellen)  
 **when wetting** the parts of the plant suitable for raw consumption  
 **without wetting** the parts of the plant suitable for raw consumption  
 chemical analysis (pH value, ammonium, nitrate, total hardness, Ca, Mg, K, SO<sub>4</sub>, Fe, Mn)

### Drinking water check "animal welfare initiative" (for pigs)

- fountain** 500 ml  
 microbiological analysis (Colony count at 22°C and 37°C, E.coli)  
 chemical analysis (pH value, electrical conductivity, Fe, nitrate, sulfate)  
  
 **public water** supply only microbiological parameters 500 ml  
 microbiological analysis (Colony count at 22°C and 37°C, E.coli)

### **Additional examinations:**

- Clostridium perfringens 1000 ml  
 Pseudomonas aeruginosa 200 ml  
 Salmonella spp. 1000 ml  
 Heavy metals (arsenic, lead, cadmium, mercury) 250 ml  
 Other chemical parameters:

I do **not** want an evaluation of the analysis results (conformity assessment). Please note that this leads to additional costs.

I do **not** want to be assigned to a third-party laboratory. This leads to the fact that the offered investigation can not be carried out.

**signature of the sender:**.....

Notes on data protection and the processing of your data can be found at: <https://www.lkvsachsen.de/footer/navi/datenschutzerklaerung/>

The general terms and conditions in the currently valid version apply.